



**OFFICE OF THE MISSION DIRECTOR,
NATIONAL HEALTH MISSION (NHM), ASSAM**
Saikia Commercial Complex, G.S. Road, Christianbasti, Guwahati-05
Website: www.nrhmassam.in :: Email: misnrhm.assam@gmail.com

Tender No: NHM/ NCD/NDP /2016-17/1133/18926

Dtd. 9.10.2017

CORRIGENDUM No.1

**ESTABLISHING DIALYSIS UNITS IN PPP MODE AT DISTRICT HOSPITALS OF ASSAM, AGAINST TENDER
NO: NHM/ NCD/NDP /2016-17/1133/18029 Dtd. 23.09.2017**

This has reference to the e-tender No: **NHM/ NCD/NDP /2016-17/1133/18029 Dtd. 23.09.2017** for **establishing dialysis units in PPP mode at District Hospitals of Assam** The following clarification may be taken note of prior to submission of Bids.

1. Sub-clause -I under Section- IV : “Scope of Service ” is amended to read as follows:

The service provider is allotted a space (@ 200 sq. ft. per machine) by the Authority and the service provider shall make complete arrangements to make the dialysis facility operational and should factor all required infrastructure, HR (trained Nephrologists, Medical officers, Nurses, technicians), supportive infrastructure, pediatric dialyzer and all other consumables etc., operational and maintenance cost for the project including consumables and facility for pediatric patients.

The decision to refer a patient for dialysis in District hospital should originate from qualified Nephrologists in a Government hospital. In all cases, the diagnostic tests (Urea, Creatinine, Sodium, Potassium, complete bio-chemistry & hematology profile) before and after the dialysis should be done through the free diagnostic program or governments own laboratory. Incorrect laboratory tests may lead to wrong referral for dialysis hence due precautions would be taken to refer a patient for dialysis and laboratory reports before and after the dialysis cycle should be recorded. Four dialysis machines plus one dedicated machine for infective cases (Hepatitis B, Hepatitis C, HIV etc) would be provided by the Authority with four years AMC/CMC after warranty However the service provider needs to provide the Associated equipment and facilities like water treatment plant, Vital Signs Monitor and Defibrilators etc. and provide maintenance support for the Dialysis Machines and allied equipment.

2. Sub-clause -2 under Section- V : “Eligibility Criteria ” is amended to read as follows:

The Bidder shall have a minimum of three years of experience in carrying out similar type of assignment / service in private or public sector. In support of this, a statement regarding assignments of similar nature successfully running at least three years should be submitted as per proforma in **Appendix 'C'**. Users' certificate regarding satisfactory completion / successfully running of assignments should also be submitted.



**OFFICE OF THE MISSION DIRECTOR,
NATIONAL HEALTH MISSION (NHM), ASSAM**
Saikia Commercial Complex, G.S. Road, Christianbasti, Guwahati-05
Website: www.nrhmassam.in :: Email: misnrhm.assam@gmail.com

3. Annexure C- is amended to read as follows:

APPENDIX - C

ASSIGNMENT OF SIMILAR NATURE SUCCESSFULLY COMPLETED/ SUCESSFULLY RUNNING DURING LAST THREE YEARS

Attach users' certificates (in original) regarding satisfactory completion/running of assignments.

Sl no	Assignment Contract No. & Date	Description of Work Services provided	Contract Price of Assignment	Date of Commencement	Was assignment satisfactorily completed/running	Address of organization with phone no. where assignment done
1						
2						
3						
4						
5						
6						
7						
8						

Note: Attach extra sheet for above Proforma if required.

Signature

Name

Office Seal.....

All other terms and conditions of the tender referred to above shall remain unchanged.

Sd/-
Mission Director,
National Health Mission, Assam